



PESTICIDE MANUFACTURER

Providing Comprehensive Crop Solutions



SUNSHINE&LOVE
AIR&WATER

BRAND PURPOSE

POMAIS offers full-category products of pesticides, just focusing on helping promote the branding development of customers & improving the lifestyle of farmers.



OUR ADVANTAGES



Full-category products of pesticides



Small customized package and branding development



15+ years of professional plant protection solution supplier
(EC,SC,WDG,DF,SP,WP,EW,OD,CS,ME,FU)



Strong business team



Deep presence in Central Asia and Middle East markets with extensive local expertise.



HERBICIDES FOR RICE



Penoxsulam (25g/l OD)	Cyhalofop-Butyl (40% EC)
Oxaziclomefone (30%SC)	Cyhalofop-Butyl 8% + Quinclorac 32% WP
Acetochlor 10.8%+Bensulfuron-methyl 3.2%WP	Penoxsulam 30g/L + Cyhalofop-butyl 200g/L OD
Cyhalofop-butyl 12% + Metamifop-butyl 8% EC	Isoxadifen-Ethyl 200g/l + Tembotrione 400g/l SC
Metamifop 10% +Cyhalofop-Butyl 15%+Quinclorac 10% OD	Metamifop 10%+Fluroxypyr-Meptyl 5%+Cyhalofop-Butyl 15% OD
Metamifop 12% + Penoxsulam 2.5% + Bispyribac-Sodium 4% OD	

HERBICIDES

2,4D (720g/l SL,860g/l SL 80%GR)	Bentazone (40%SL,480g/l SL,560g/l SL)
Bensulfuron-Methyl (10%WP)	Bispyribac-Sodium (100g/l SC,20%WP,40%SC)
Chlorsulfuron (75%WP)	Clethodim (24%EC)
Clodinafop-Propargyl (6%,12%EC,15%WP)	Clomazone (360g/lEC,360g/lCS,480g/l EC)
Clopyralid (30%SL,75%SG)	Diquat (150g/l SL,200g/l SL)
Desmedipham (16%EC)	Florasulam (50g/l OD,10%WP,25%WDG)
Fluroxypyr (200g/l EC,288g/l EC,50%OD)	Glufosinate-Ammonium (20%SL)
Glyphosate (360g/l SL,480g/l IPA SL,540g/l Potassium salt SL)	Halosulfuron-Methyl (75%WDG)
Haloxypop-R-Methyl (108g/l EC)	Hexazinone (5%GR,24%SL,75%WDG)
Linuron (50%WDG,50%SC)	Metribuzin (70%WDG)
Mesotrione (10%OD)	Nicosulfuron (40g/l OD,80%WDG)
Oxadiazon (30%WP,35%SC)	Oxyfluorfen (240g/l EC)
Propanil (360g/l EC,480g/l EC)	Quizalofop-P-Ethyl (5%EC)
Rimsulfuron (25%WDG)	S-Metolachlor (960g/l EC)
Saflufenacil (15%SC,70%WDG)	Thifensulfuron-Methyl (15%WP,25%WP,75%WDG)
Tribenuron-Methyl (75%WDG)	Trifloxysulfuron (75%WDG)
Tembotrione (8%OD)	Imazamox (40g/l SL)
Atrazine 45% + Mesotrione 5% SC	Mesosulfuron-Methyl 9g/L + Florasulam 6g/L + MCPA 235g/L OD
Bispyribac Sodium 50g/L + Cyhalofop Butyl 150g/L OD	Metribuzin 70% + Rimsulfuron 5% WDG
Bispyribac-Sodium 18% + Bensulfuron-Methyl 12% WP	Nicosulfuron 100g/kg + Dicamba 312.5g/kg + Mesotrione 150g/kg WG
Clodinafop-Propargyl 12% + Cloquintocet-Mexyl 3% EC+ Bensulfuron-Methyl 75% WDG	Nicosulfuron 20g/L + Mesotrione 40g/L + Terbutylazine 200g/L OD
Clodinafop-Propargyl 50g/L + Pinoxaden 50g/L+ Cloquintocet-Mexyl 12.5g/L EC	Penoxsulam 2.5% + Cyhalofop-Butyl 4% OD
Cyhalofop Butyl 200g/L + Pyribenzoxim 50g/L EC	Phenmedipham 9.1% + Desmedipham 7.1% + Ethofumesate 11.2% EC
Dicamba 500 g/kg + Prosulfuron 50 g/kg WDG	Pretilachlor 360g/L + Metamifop 40g/L EC
Isoproturon 35.3% + Mesosulfuron-Methyl 1.7% + Mefenpyr-Diethyl 0.8% WDG	Quizalofop-P-Ethyl 5% + Oxyfluorfen 240g/L EC
Isoxaflutole 100g/L + Thiencarbazone-Methyl 25g/L SC	S-Metolachlor 375 g/L + Mesotrione 37.5 g/L +Terbutylazine 125 g/L SE
Mesosulfuron-Methyl 10g/L + Iodosulfuron-Methyl Sodium 2g/L+Mefenpyr-Diethyl 30g/L OD	Glyphosate39%+Saflufenacil 1% OD
Mesosulfuron-Methyl 3% + Iodosulfuron-Methyl Sodium 0.60%+Mefenpyr-Diethyl 5% WDG	Desmedipham 8%+Phenmedipham 8%+ Ethofumesate 11.4% EC

INSECTICIDE

Abamectin (1.8%EC, 3.6%EC)	Acetamiprid (20%SP (Blue or white), 5%EC, 70%WDG)
🔥 Beta Cyfluthrin (25g/l SC, 75g/l SC)	Chlorfenapyr (240g/l SC, 480g/l SC)
Chlorpyrifos (10%GR, 50%EC)	🔥 Cyantraniliprole (20%OD,80%WDG)
Chlorantraniliprole (25%SC,30%SC)	Cypermethrin (10%EC, 25%EC, 25%WP)
Deltamethrin (10%EC, 25%EC, 25%WP)	🔥 Diflubenzuron (25%WP, 480g/l SC)
Dinotefuran (20%SC, 70%WDG)	Diafenthiuron (25%EC,50%SC,50%WP)
Emamectin Benzoate (30%WDG, 75%WDG, 5%SC, 5%EC)	Fonicamid (20%SC, 50%WDG)
Fipronil (2.5%EC, 5%SC, 0.05%GEL, 80%WDG)	Indoxacarb (20%SC, 30%WDG)
Imidacloprid (5%EC, 30%FS, 35%SC, 70%WP, 70%WDG)	Lufenuron (5%EC, 10%SC)
Lambda-Cyhalothrin (25g/l EC, 25%WP)	Profenofos (720g/l EC)
Pymetrozine (25%WP, 25%SC, 50%WDG)	Pyridaben (15%EC, 30%SC, 40%WP)
Pyriproxyfen (10%EC, 10%SC, 35%WP)	Spiromesifen (240g/l SC)
Tebufenozide (24%SC)	🔥 Thiamethoxam (25%SC, 75%WDG, 50%DF)
Thiocyclam (50%SP)	Trichlorfon (30%EC,90%SP)
Abamectin 11.4 g/L + Spiromesifen 228.6 g/L SC	Abamectin 3% + Bifenazate 30% SC
Chlorantraniliprole 20% + Lufenuron 20% SC	🔥 Dinotefuran 40% + Flubendiamide 20% WDG
Emamectin Benzoate 10% + Lufenuron 40% WDG	🔥 Fonicamid 25% + Thiamethoxam 25% WDG
Flubendiamide 100 g/L + Spirotetramat 75 g/L SC	Imidacloprid 300g/L + Bifenthrin 75g/L + Abamectin 21g/L SC
Lambda-Cyhalothrin 106 g/L + Thiamethoxam 141 g/L SC	Pymetrozine 50% + Dinotefuran 20% WG
Pyridaben 5% + Diafenthiuron 50% SC	Pyriproxyfen 25% + Spinosad 5% SC
Thiacloprid 5% + Indoxacarb 20% SC	Thiacloprid 50 g/L + Lambda-Cyhalothrin 50 g/L OD
Thiamethoxam 152 g/L + Abamectin 33 g/L SC	Thiamethoxam 20% + Chlorantraniliprole 10% SC

ACARICIDE

Propargite (73%EC)	Etoxazole (20%SC)
● Spirodiclofen (24%SC)	● Spirotetramat (22.4%SC)
● Fenpyroximate (5%SC)	Bifenazate (480g/l SC)
Cyflumetofen (20%SC)	Fluazinam (40%SC)
● Hexythiazox (5%EC)	

NEMATICIDES

Fosthiazate (30%CS)	Metam-sodium (42%SL)
Fluopyram (40%SC)	Abamectin (5%EC)
● Paecilomyces Lilacinus 200 million spores/g	Erticillium Chlamydosporium 250 million spores/g GR
● Oligosaccharins 0.5%+Fosthiazate 19.5%EW	Abamectin 2.5%+Fosthiazate 7.5%EW
Emamectin Benzoate (2%ME)	● Matrine (0.6%SL)

BIOPESTICIDE

PO
MAIS

● Azadirachtin (0.3%EC,1%ME)	● Bacillus Subtilis (100 billion/g)
● Bacillus Thuringiensis (Bt) (3.2% WP, 8% SC, 16,000 IU/mg WP)	Beauveria Bassiana (2.5% WP, 10% WP, 1 × 10 ¹⁰ CFU/g OD)
Ethylcin (30% EC, 41% EC, 80% EC)	Kasugamycin (2% SL, 4% SL, 6% WP)
Matrine (0.3% AS, 0.5% SL, 1% SL, 2% AS)	● Metarhizium Anisopliae (2.5% WP, 10 Billion CFU/g OD, 5Billion CFU/g SC)
Ningnanmycin (2% SL, 8% AS, 10% WP)	Oligosaccharins (2% AS, 3% AS, 5% SL)
● Rotenone (2.5% EC, 4% EC, 7.5% EC)	Spinosad (240g/l SC,480g/l SC)
● Trichoderma Haezia-num (2% WP, 300 million CFU/g WP,1 billion CFU/g OD)	● Validamycin (3% AS, 5% AS, 10% WP, 20% WP)

Azoxystrobin (25% SC, 50% WDG)	Boscalid (50% WDG)
Captan (80% WDG, 50% WP)	Carbendazim (50% SC, 50% WP, 50% SP)
Chlorothalonil (720g/L SC, 75% WP)	Copper Oxychloride (85% WP, 77% WP)
Cymoxanil (25% WDG)	Cyprodinil (300g/L SC, 50% WG, 75% WDG)
Difenoconazole (250g/l EC, 10% EC)	Fludioxonil (6% FS, 25g/L FS, 120g/L FS)
Fluopyram (400G/L SC)	Flutriafol (250g/l SC)
Hexaconazole (5% EC, 10% SC)	Hymexazol (300g/l SL, 70% SP)
● Imazalil (50% EC)	Iprodione (500g/l SC, 50% WP)
Kasugamycin (2% SL, 2% WP)	● Kresoxim-Methyl (50% WDG, 50% DF)
Mancozeb (80% WP, 75% WP, 75% DF, 75% WDG)	Metiram (70% DF, 70% WDG)
Metalaxyl (35% WP, 35% WS, 5% GR, 350g/l DS)	Metalaxyl-M (35% EC)
Penconazole (10% EC, 20% EW, 97% TC)	Propiconazole (50% EC)
Propineb (70% WP)	Tebuconazole (25% EC, 2% DS, 25% SC, 25% EW, 25% WP)
Thiram (50% WP, 80% WP, 80% WDG)	Thiophanate-Methyl (70% WP, 500g/L SC)
Triadimefon (25% WP, 25% EC)	Triazophos (40% EC, 85% TC)
● Trifloxystrobin (50% WDG)	Zineb (700g/kg DF, 80% WP (Blue))
Azoxystrobin 125g/L + Difenoconazole 125g/L SC	Azoxystrobin 200g/L + Cyproconazole 80g/L SC
Boscalid 10% + Azoxystrobin 20% SC	Cymoxanil 4.2% + Copper Oxychloride 69.7% WP
Cyproconazole 80 g/L + Propiconazole 250 g/L EC	Cyprodinil 20% + Boscalid 20% SC
Dimethomorph 12% + Pyraclostrobin 6.7% DF	● Famoxadone 22.5% + Cymoxanil 30% WDG
Fludioxonil 25% + Cyprodinil 37.5% WDG	● Fluopimomide 20% + Hexaconazole 20% SC
Fluopyram 20% + Pyraclostrobin 20% SC	● Fluopyram 250 g/L + Trifloxystrobin 250 g/L SC
Pyraclostrobin 12.8% + Boscalid 25.2% WDG	Propamocarb 62.5% + Fluopyram 6.25% SC
Tebuconazole 50% + Trifloxystrobin 25% WDG	Thiophanate-Methyl 70% + Metalaxyl 15% WP

PLANT GROWTH REGULATOR



6-BA (6-Benzylaminopurine) (2% SP)	BNOA (2-Naphthoxyacetic Acid) (98% TC)
Brassinolide (0.1% SL, 0.01% SP, 90% TC)	Chlormequat (98% TC, 50% SL, 80% SP)
CPPU (Forchlorfenuron) (99% TC, 1% WP, 2% SP)	DA-6 (Diethyl Aminoethyl Hexanoate) (98% TC, 8% SP)
Ethephon (480g/l SL, 720g/l SL, 85% TC, 90% TC)	GA3 (Gibberellic Acid) (5% TB, 10% TB, 10% SP, 20% SP, 40% SP, 90% TC, 98% TC)
IAA (Indole-3-Acetic Acid) (98% TC)	IBA (Indole-3-Butyric Acid) (2% SP, 98% TC)
Mepiquat Chloride (50% AS, 8% SP, 25% AS, 96% SP, 98% TC)	NAA (1-Naphthylacetic Acid) (98% TC, 5% AS, 5% SL, 20% SP)
Paclobutrazol (15% WP, 25% SC, 25% WP, 30% WP)	Prohexadione-Calcium (10% WDG, 10% WP, 15% WP, 15% WDG)
S-ABA (Abscisic Acid) (10% SP)	Sodium Nitrophenolate (98% TC, 1.4% AS)
Thidiazuron (50% WP, 98% TC)	Uniconazole (95% TC, 5%WP)
6-Benzylamino-Purine 0.15% + 4-Indol-3-Ylbutyric Acid 0.85% SL	Benzyl Aminopurine 1.8% + GA4+7 1.8% SL
Forchlorfenuron 0.1% + Gibberellic Acid 0.2% SL	Forchlorfenuron 1% + GA4,A7 0.2% SP
IBA 1% + NAA 1% SP	NAA 2.5% + IBA 3% SL
Naphthoxyacetic Acid 0.13% + 4-CPA 0.13% SL	Sodium O-Nitrophenolate 0.6% + NAA 1.2% + Sodium P-Nitrophenolate 0.9% + Sodium Dinitrophenolate 0.15% SL

PRESERVATIVES

Prochloraz (25%EC, 45%EC, 45% EW)	Thiabendazole (40%WP, 45%SC, 50% SC, 60% WDG)
Imazalil (500g/L EC)	Pyrimethanil (50%SC)
1-MCP (3.3%DP, 3.46%DP)	S-ABA (95% TC)

SEED DRESSING

Thiamethoxam (350g/l FS,600g/l FS)	Azoxystrobin 75g/L+ Metalaxyl-M 37.5g/L+ Fludioxonil 12.5g/L FS
Difenoconazole25g/l+Thiamethoxam262.5g/l+ Fludioxonil 25g/l FS	Thiamethoxam 350g/l+Metalaxyl-M 3.34g/l+ Fludioxonil 8.34g/l FS
Fludioxonil 25g/l+Metalaxyl-M 10g/l FS	Imidacloprid 140g/l +Pencycuron150g/lFS

ODM-OEM
PESTICIDE MANUFACTURER

SHIJIAZHUANG POMAIS TECHNOLOGY CO.,LTD

📍 **ADD:** Room1906, Bai Chuan Building–West,Chang An District,
Shijiazhuang Hebei Province,P.R China

🌐 **Web:** www.pomais.com

✉ **E-mail:** info@pomais.com

